

12.0 REFERENCES

Animals (Scientific Procedures) Act 1986. 1986. Chapter 14.

[Anonymous.] 1996. Breeds of Chicken. Oklahoma State University Board of Regents. Available: <http://www.ansi.okstate.edu/poultry/> [accessed 27 April 2004].

[Anonymous.] 2002. Incubation & Embryology. Available: www.urbanext.uiuc.edu/eggs/res19-opincubator.html [accessed 30 August 2004].

[Anonymous.] 2004a. Incubation: Selection and Care of Hatching Eggs. Cornell Cooperative Extension. Available: www.cce.cornell.edu/~Allegany-Cattaraugus/hatchingeggs404.htm [accessed 30 August 2004].

[Anonymous.] 2004b. Incubation & Hatching. Available: <http://www.feathersite.com/Poultry/BRKIncubation.html> [accessed 30 August 2004].

ASTM. 1999. Standard practice for conducting an interlaboratory study to determine the precision of a test method. ASTM E691-92. In: Annual Book of ASTM Standards. Philadelphia:American Society for Testing and Materials.

Bagley D, Bruner L, DeSilva O, Cottin M, O'Brien K, Uttley M, Walker AP. 1992. An evaluation of five potential alternatives in vitro to the rabbit eye irritation test in vivo. Toxic In vitro 6:275-284.

Balls M, Botham P, Bruner L, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test. Toxic In Vitro 9:871-929.

Barkman R, Germanis M, Karpe G, Malmborg AS. 1969. Preservatives in drops. Acta Ophthalmol. 47:461-475.

Bartnik FG, Holtmann W, Lupke NP, Sterzel W, Wallat S, Kunstler K. 1987. Final report of the BMFT-project: Validierung von Ersatzmethoden fur Tierversuche zur Prifung auf localeVertraglichkeit, Henkel KgaA, Ressort Forschung, Dusseldorf.

Berdasco N, Gilbert K, Lacher J, and Mattsson J. 1996. Low rate of severe injury from dermal and ocular irritation tests and the validity of using fewer animals. Journal of the American College of Toxicology. 15:177-193.

Berta A. 1992. Chapter 17. In: Enzymology of the tears. (Berta A. ed.). Boca Raton:CRC Press, 285-295.

Blein O, Adolphe M, Lakhdar B, Cambar J, Gubanski G, Castelli D, Contie C, Hubert F, Latrille F, Masson P, Clouzeau J, LeBigot JF, DeSilva O, Dossou KG. 1991. Correlation and validation of alternative methods to the Draize eye irritation test (Opal Project). Toxic In Vitro 5:555-557.

BLS. 2004. US Dept. of Labor, Bureau of Labor Statistics, Case and Demographic Characteristics for Work-related Injuries and Illnesses Involving Days Away From Work Available: <http://www.bls.gov/iif/oshcdnew.htm> [accessed 26 October 2004].

Branter A, Quehenberger F, Chakraborty A, Polliger J, Sisa S, DellaLoggia R. 2002. HET-CAM bioassay as in vitro alternative to the croton oil test for investigating steroidal and non-steroidal compounds. ALTEX 19:51-56.

Brantom P, Bruner L, Chamberlain M, DeSilva O, Dupuis J, Earl L, Lovell DP, Pape WJW, Uttley M, Bagley DM, Baker FW, Bracher M, Courtellemont P, Declercq L, Freeman S, Steiling W, Walker AP, Carr GJ, Dami N, Thomas G, Harbell J, Jones PA, Pfannenbecker U, Southee JA, Tcheng M, Argembeaux H, Castelli D, Clothier R, Esdaile DJ, Itigaki H, Jung K, Kasai Y, Kojima H, Kristen U, Larnicol M, Lewis RW, Marenus K, Moreno O, Peterson A, Rasmussen ES, Robles C, Stern M. 1997. A summary report of the COLIPA International validation study on alternatives to the Draize rabbit eye irritation test. Toxic In Vitro 11:141-179.

Bruner L. 1992. Chapter 7: Ocular irritation. In: In Vitro Toxicology Testing (Frazier J ed.). New York:Marcel Dekker, Inc., 149-190.

Bruner LH, Evans MG, McPherson JP, Southee JA, Williamson PS. 1998. Investigation of ingredient interactions in cosmetic formulations using isolated bovine corneas. Toxicology In Vitro 12:669-690.

Budai P, Várnagy L, Somlyay I, Varga T. 1997. Ocular irritation study of some pesticides in HET-CAM test. Mededelingen Faculteit Landbouwkundige en Toegepaste Biologische 62:265-268.

Budai P, Várnagy L. 2000. In vitro ocular irritation toxicity study of some pesticides. Acta Veterinaria Hungarica 48:221-228.

Butscher P. 1953. Beitrag zur therapie von augenschadigungen durch thioglykolsaur bei der herstellung der sogenannten kaltwelle. Klin Monatsbl Augenheilkd. 122:349-350.

Calabrese EJ. 1983. Dermatotoxicity: Predictive Models. In: Principles of animal extrapolation. Boca Raton:CRC Press, 391-404.

Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. Am J Ophthalmol. 29:1363-1372.

Cater K, Patrick E, Harbell J, Merrill J, Schilcher S. 2004. Comparison of in vitro eye irritation potential by BCOP assay to erythema scores in human eye sting test of surfactant-based formulations. [Abstract]. Toxicol Sci 78:1307.

CEC. 1991. Collaborative Study on the Evaluation of Alternative Methods to the Eye Irritation Test. Doc. XI/632/91/V/E/1/131/91 Part I and II.

- Clauer PJ. 2000. Incubating eggs. Available:
<http://www.ext.vt.edu/pubs/poultry/factsheets/8.html>[accessed 20 August 2004].
- Clauer PJ. 2002. Embryology in the Classroom. Physiological Processes Within the Egg. The Pennsylvania State University. Available:
<http://ulisse.cas.psu.edu/4hembryo/physiology.html> [accessed 20 January 2004].
- Clean Air Act Amendments of 1990. 1990. Public Law 101-549.
- Cooper KJ, Earl LK, Harbell J, Raabe H. 2001. Prediction of ocular irritancy of prototype shampoo formulations by the isolated rabbit eye (IRE) test and bovine corneal opacity and permeability (BCOP) assay. Toxic In Vitro 15:95-103.
- CPSC. 1984. Animal Testing Policy. Fed Reg 49:22522-22523.
- CPSC. 1988. Commercial practices. Hazardous Substances and Articles; Administration and Enforcement Regulations. 16 CFR 1500.42.
- CPSC. 1995. Test for eye irritants. 16CFR1500.42.
- CPSC. 2003. Commercial practices. Hazardous Substances and Articles; Administration and Enforcement Regulations. 16 CFR 1500.42.
- CPSC. 2004. Definitions. Hazardous Substances and Articles; Administration and Enforcement Regulations 16 CFR 1500.3.
- Curren RD, Harbell JW. 1998. In vitro alternatives for ocular irritation. Environ Health Persp 106:485-492.
- Dalbey W, Rodriguez S, Wilkins K, Cope C. 1993. Reducing the number of rabbits in eye and skin irritancy tests. Journal of the American College of Toxicology 12:347-357.
- Dannhardt G, Kreher M, Nowe U, Pies A. 1996. Method for testing non-steroidal anti-inflammatories: the modified hen's egg chorioallantoic membrane test (HET-CAM test) compared to other procedures. Arch Pharm 329:301-310.
- Demirci B, Dadandi M, Paper D, Franz G, Baser K. 2003. Chemical composition of the essential oil of Phlomis linearis Boiss. & Bal., and biological effects on the CAM-assay: A safety evaluation. Z Naturforsch 58:826-829.
- Demirci F, Paper D, Franz G, Baser K. 2004. Investigation of the Origanum onites L. essential oil using the chorioallantoic membrane (CAM) assay. J Agric Food Chem 52:251-254.
- de Silva O, Rougier A, Dossou K. 1992. The HET-CAM Test: A study of the irritation potential of chemicals and formulations. ATLA 20:432-437.

DeSousa D, Rouse A, Smolon W. 1984. Statistical consequences of reducing the number of rabbits utilized in eye irritation testing: Data on 67 petrochemicals. *Tox Applied Pharm* 76:234-242.

Djabari Z, Bauza E, Farra CD, Domloge N. 2002. The HET-CAM test combined with histological studies for better evaluation of active ingredient innocuity. *Int J Tissue React* 24:117-121.

Doucet O, Lanvin M, Zastrow L. 1999. Comparison of three in vitro methods for the assessment of the eye-irritating potential of formulated cosmetic products. *In Vitro Mol Toxic* 12:63-76.

Draize J, Woodard G, Calvery H. 1944. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *J Pharm Exp Ther* 82:377-390.

Dua HS, Azuara-Blanco A. 2000. Limbal stem cells of the corneal epithelium. *Survey of Ophth* 44(5):415-425.

Duane TD. 1949. The steady state of corneal hydration. *Am J Ophth* 32:203-207.

ECETOC 1992. Eye Irritation – Reference Chemicals Data Bank. Technical Report No. 48. European Centre for Ecotoxicology and Toxicology of Chemicals, Brussels.

ECETOC 1998. Eye Irritation – Reference Chemicals Data Bank. Technical Report No. 48(2). European Centre for Ecotoxicology and Toxicology of Chemicals, Brussels.

EEC. 1983. Annex VI of the EEC Directive 84/479, Annex, Part B, Methods for the determination of toxicity, B.5 “Acute toxicity – Eye irritation”. EEC Publication No. L251, September 1983.

EEC. 1984. Acute Toxicity – Eye Irritation. In Directive 67/548 (6th adaption); Annex V, Part B: Methods for the Determination of Toxicity. Official Journal of the European Community 27 L251, 109.

EEC. 1991. Classification of irritant substances and preparations. Official J European Community. L180:52.

EPA. 1974. Fed Reg 39:801.

EPA. 1996. Label Review Manual: 2nd Ed. EPA737-B-96-001. Washington, DC: U.S. Environmental Protection Agency.

EPA. 1998. Health Effects Test Guideline, OPPTS 870.2400 Acute Eye Irritation. EPA 712-C-98-195. Washington, DC: U.S. Environmental Protection Agency.

EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40 CFR 792.

EPA. 2003b. Good Laboratory Practice Standards. Federal Insecticide, Fungicide, and Rodenticide Act. 40 CFR 160.

Eskes C, Bessou S, Bruner L, Curren R, Harbell J, Jones P, KreilingR, Liebsch M, McNamee, Pape W, Prinsen M, Seidle T, Vanparrys P, Worth A, Zuang V. 2005. Eye Irritation. In: Alternative (Non-Animal) Methods for Cosmetics Testing: Current Status and Future Perspectives (Eskes C, Zuang V, eds.). ATLA 33 (Supplement 1): 47-81.

Estable JL. 1948. The ocular effect of several irritant drugs applied directly to the conjunctiva. Am J Ophthalmol. 31:837-844.

EU. 1986. Council Directive 86/69/EEC. Official Journal of the European Economic Community. L358:1-28.

EU. 1992. Commission Directive 92/69/EEC of 31 July 1992 adapting to technical progress for the seventeenth time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L383:113-115.

EU. 1993. Commission Directive 93/21/EEC of 27 April 1993 adapting to technical progress for the eighteenth time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Union L110A:1-86.

EU. 2001. Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L255:1-333.

EU. 2004. Manual of Decisions for Implementation of the Sixth and Seventh Amendments to Directive 67/548/EEC on Dangerous Substances (Directives 79/831/EEC and 92/32/EEC). European Chemicals Bureau, IHCP, European Commission DG-JRC, report n. EUR 20519 EN, updated version of July 2004. Available: <http://ecb.jrc.it/new-chemicals> [accessed 14 October 2004].

FDA. 2003. Good laboratory practice for nonclinical laboratory studies. 21 CFR 58.

Federal Environmental Pesticide Control Act of 1972. 1972. Public Law 92-516.

FSHA. 1964. Federal Hazardous Substances Act. Public Law 86-613.

Federal Insecticide, Fungicide and Rodenticide Act of 1947. 1947. Public Law 80-102.

FHSA. 1995. Test for eye irritants. 16CFR1500.42. Available:
http://www.access.gpo.gov/nara/cfr/waisidx_00/16cfr1500_00.html [accessed 7 December 2005].

FDA. 1938. Food, Drug and Cosmetic Act of 1938. Public Law 75-717.

Fox DA, Boyes WK. 2001. Toxic responses of the ocular and visual system. In: Casarett and Doull's Toxicology, the Basic Science of Poisons (Klaassen CD, ed.). 3rd ed. New York:McGraw-Hill, 565-595.

Friedenwald JS, Hughes WF, Hermann H. 1946. Acid burns of the eye. Arch Ophth. 35:98-108.

Gartner S. 1944. Blood vessels of the conjunctiva. Arch Ophthalmol. 36:464-471.

Gautheron P, Giroux J, Cottin M, Audegond L, Morilla A, Mayordomo-Blanco L, Tortajada A, Haynes G, Vericat JA, Pirovano R, Tos EG, Hagemann C, Vanparys P, Deknudt G, Jacobs G, Prinsen M, Kalweit S, Spielmann H. 1994. Interlaboratory assessment of the bovine corneal opacity and permeability (BCOP) assay. Toxicol In Vitro 8(3):381-392.

Gettings S, Teal J, Bagley D, Demetrulias J, DiPasquale L, Hintze K, Rozen MG, Weise SL, Chudkowski M, Marenus KD, Pape WJW, Roddy MT, Schenetzinger R, Silber PM, Glaza SM, Kurtz PJ. 1991. The CTFA evaluation of alternatives program: An evaluation of in vitro alternatives to the Draize primary eye irritation test (Phase 1) Hydro-alcoholic formulations; (Part 2) Data analysis and biological significance. In Vitro Toxic 4:247-288.

Gettings S, Dipasquale L, Bagley D, Casterton P, Chudkowski M, Curren R, Demetrulias JL, Feder PI, Galli CL, Gay R, Glaza SM, Hintze KL, Janus J, Kurtz, Lordo RA, Marenus KD, Moral J, Muscatuello M, Pape WJW, Renskers KJ, Roddy MT, Rozen MG, Tedeschi JP, Zyracki J. 1994. The CTFA evaluation of alternatives program: an evaluation of in vitro alternatives to the Draize primary eye irritation test. (Phase II) oil/water emulsions. Food Chem Toxic 32:943-976.

Gettings S, Lordo R, Hintze K, Bagley D, Casterton P, Chudkowski M, Curren RD, Demetrulias JL, Dipasquale LC, Earl LK, Feder PI, Galli CL, Glaza SM, Gordon VC, Janus J, Kurtz, Marenus KD, Moral J, Pape WJW, Renskers KJ, Rheins LA, Roddy MT, Rozen MG, Tedeschi JP, Zyracki J. 1996. The CTFA evaluation of alternatives program: An evaluation of in vitro alternatives to the Draize primary eye irritation test. (Phase III) surfactant-based formulations. Food Chem Toxic 34:79-117.

Gilleron L, Coecke S, Sysmans M, Hansen E, van Oprox S, Marzin D, van Cauteren H, Vanparys P. 1996. Evaluation of a modified HET-CAM assay as a screening test for eye irritancy. Toxic In Vitro 10:431-446.

Gilleron L, Coecke S, Sysmans M, Hansen E, van Oprox S, Marzin D, van Cauteren H, Vanparys P. 1997. Evaluation of the HET-CAM-TSA method as an alternative to the Draize eye irritation test. *Toxic In Vitro* 11:641-644.

Grant WM. 1974. Toxicology of the eye. In: *Toxicology of the eye*. 2nd ed. (Grant WM, ed.) Springfield: Charles C Thomas.

Hagino S, Itagaki H, Kato S, Kobayashi T, Tanaka M. 1991. Quantitative evaluation to predict the eye irritancy of chemicals: modification of chorioallantoic membrane test by using trypan blue. *Toxic In Vitro* 5:301-304.

Hagino S, Itagaki H, Kato S, Kobayashi T. 1993. Further evaluation of the quantitative chorioallantoic membrane test using trypan blue stain to predict the eye irritancy of chemicals. *Toxic In Vitro* 7:35-39.

Hagino S, Kinoshita S, Tani N, Nakamura T, Ono N, Konishi K, Iimura H, Kojima H, Ohno Y. 1999. Interlaboratory validation of in vitro eye irritation tests for cosmetic ingredients. (2) Chorioallantoic membrane (CAM) test. *Toxic In Vitro* 13:99-113.

Harbell JW, Curren RD. 2002. In vitro methods for the prediction of ocular and dermal toxicity. In: *Handbook of Toxicology* (Eds. MJ Derelanko and MA Hollinger). CRC Press: Boca Raton, 835-866.

Holzhütter HG, Archer G, Dami N, Lovell DP, Saltelli A, Sjöström M. 1996. Recommendations of the application of biostatistical methods during the development and validation of alternative toxicological methods. ECVAM Biostatistics Task Force Report 1. ATLA, 24:511-530.

ICCVAM. 1997. Validation and Regulatory Acceptance of Toxicological Test Methods: A Report of the ad hoc Interagency Coordinating Committee on the Validation of Alternative Methods. NIH Publication No.: 97-3981. Research Triangle Park:National Toxicology Program.

ICCVAM. 2003. ICCVAM Guidelines for the Nomination and Submission of New, Revised, and Alternative Test Methods. NIH Publication No: 03-4508. Research Triangle Park:National Toxicology Program.

ICCVAM Authorization Act of 2000. 2000. Public Law 106-545. [114 Stat. 2721]. Available: <http://iccvam.niehs.nih.gov/about/overview.htm> [accessed 21 October 2004].

INVITTOX 1992. HET-CAM Test. ECVAM. Available: https://ecvam-sis.jrc.it/invittox/published/indexed_47.html [accessed 18 February 2004].
Kalweit S, Gerner I, Spielmann H. 1987. Validation project of alternatives for the Draize eye test. *Mol Toxic* 1:597-603.

- Kalweit S, Besoke R, Gerner I, Spielmann H. 1990. A national validation project of alternative methods to the Draize rabbit eye test. *Toxic In Vitro* 4:702-706.
- Kay JH, Calandra JC. 1962. Interpretation of Eye Irritation Tests. *J Soc Cosmetic Chemists* 12:281-289.
- Kinoshita J. 1962. Some aspects of the carbohydrate metabolism of the cornea. *Inves Ophth.* 1:178-186.
- Kojima H, Hanamura A, Miyamoto S, Sato A, Konishi H, Yoshimura I. 1995. Evaluation of seven alternative assays on the main ingredients in cosmetics as predictors of Draize eye irritation scores. *Toxic In Vitro* 9:333-340.
- Kuckelkorn R, Schrage N, Keller G, REdbrake C. 2002. Emergency treatment of chemical and thermal eye burns. *Acta Ophth Scand* 80:4-10.
- Lawrence R, MH G, Ackroyd D, Parish W. 1986. The chorioallantoic membrane in irritation testing. *Food Chem Toxic* 24:497-502.
- Lawrence R, Ackroyd D, Williams D. 1990. The chorioallantoic membrane in the prediction of eye irritation potential. *Toxic In Vitro* 4:321-323.
- Le Moult CH, Cotte J, Martini MC. 1976. Etude critique des tests d'innocuite applicables aux produits cosmetiques. Mise en evidence des reactions toxiques generales et locales. *Parfums, Comsetiques, Aromes*. 7: 55-71.
- Leopold IH. 1945. Local toxic effect of detergents on ocular structures. *Arch Ophthalmol.* 34:99-102.
- Lewin L, Guillery H. 1913. Die Wirkungen von Arzneimitteln und Giften auf das Auge. 2nd edition. Hirschwald, Berlin.
- Liebsch L, Spielmann H. 2002. Currently available in vitro methods used in the regulatory toxicology. *Toxic Lett* 127:127-134.
- Lönnroth E, Dahl J, Shahnavaz H. 1999. Evaluating the potential occupational hazard of handling dental polymer products using the HET-CAM technique. *Int J Occupational Safety Ergonomics* 5:43-57.
- Lordo R, Feder P, Greetings S. 1999. Comparing and evaluating alternative (in vitro) tests on their ability to predict the Draize maximum average score. *Toxic In Vitro* 13:45-72.
- Luepke N. 1985. Hen's egg chorioallantoic membrane test for irritation potential. *Food Chem Toxic* 23:287-291.

- Luepke N, Kemper F. 1986. The HET-CAM test: an alternative to the Draize eye test. *Food Chem Toxic* 24:495-496.
- Macián M, Seguer J, Infante M, Selve C, Vinardell M. 1996. Preliminary studies of the toxic effects of non-ionic surfactants derived from lysine. *Toxic* 106:1-9.
- Marsh RJ, Maurice DM. 1971. The influence of non-ionic detergents and other surfactants on human corneal permeability. *Exp Eye Res*. 11:43-48.
- Marzulli F, Ruggles D. 1973. Rabbit eye irritation test: collaborative study. *Journal of the Association of Analytical Chemists*. 56:905-914.
- Maurice DM. 1957. The structure and transparency of the cornea. *J Physiol* 136:263-286.
- McCulley JP. 1987. Chemical injuries. In: *Cornea; scientific foundations and clinical practice* (Smolin G, Thoft RA, eds.). Boston:Little, Brown, 527-542.
- McDonald TO, Seabaugh V, Shadduck JA, Edelhauser HF. 1987. Eye irritation. In: *Dermatotoxicology*. (Marzulli FN, Maibach HI, eds). 3rd edition. Washington:Hemisphere Publishing Corporation, 641-696.
- McLaughlin RS. 1946. Chemical burns of the human cornea. *Am J Ophthalmol*. 29:1355-1362.
- Mishima S, Hedbys BO. 1968a. Physiology of the cornea. *Int Opt Clin*. 8(3):527-560.
- Mishima S, Hedbys BO. 1968b. Measurement of corneal thickness with the Haag-Streit pachymeter. *Arch Ophthal*. 80:710-713.
- MSPCA. 2005. Animals in Education: Laws and Regulations. Available: <http://www.msppca.org/site/pp.asp?c=gtIUK4Osg&b=127066> [accessed 27 October 2005].
- Nakano M. 1958. Effect of various antifungal preparations on the conjunctiva and cornea of rabbits. *Yakuzaigaku*. 18:94-99.
- NIH. 2000. The Public Health Service Responds to Commonly Asked Questions. Available: <http://grants.nih.gov/grants/olaw/references/ilar91.htm> - 1 [accessed 7 July 2004].
- NIOSH. 2004. Work-Related Injury Statistics Query System. Available: <http://www2a.cdc.gov/risqs/> [accessed 26 October 2004].
- Nourse WL, Tyson, CA, Bednarz RM. 1995. Mechanisms of Mild Ocular Irritation. *Toxicol In Vitro*. 9:967-976.
- Occupational Safety and Health Act of 1970. 1970. Public Law 91-596.

OECD. 1987. Test guideline 405, Acute eye irritation/corrosion, adopted February 24, 1987. In OECD Guidelines for Testing of Chemicals. OECD, Paris.

OECD. 1996. Final Report of the OECD Workshop on Harmonization of Validation and Acceptance Criteria for Alternative Toxicological Methods. ENV/MC/CHEM/TG (96)9. OECD, Paris.

OECD. 1998. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice (as revised in 1997). ENV/MC/CHEM(98)17. OECD, Paris.

OECD. 2002. Test guideline 405. Acute eye irritation/corrosion, adopted April 24, 2002. In: OECD Guidelines for Testing of Chemicals. OECD, Paris.

Ohno Y, Kaneko T, Inoue T, Moriakawa Y, Yoshida T, Fujii A, Masuda M, Ohno T, Hayashi M, Momma J, Uchiyama T, Chiba K, Ikeda N, Imanishi Y, Itakagaki H, Kakishima H, Kasai Y, Kurishita A, Kojima H, Matsukawa K, Nakamura T, Ohkoshi K, Okumura H, Saijo K, Sakamoto K, Suzuki T, Takano K, Tatsumi H, Tani N, Usami M, Watanabe R. 1999. Interlaboratory Validation of the in vitro eye irritation testes for cosmetic ingredients. (1) Overview of the validation study and Draize scores for the evaluation of the tests. *Toxic In Vitro*. 13:73-98.

Oksala O, Stjernschantz J. 1988. Effects of calcitonin gene-related peptide in the eye. *Inv Opth Vis Sci*. 29(7):1006-1011.

Parish W. 1985. Ability of in vitro (corneal injury-eye organ-and chorioallantoic membrane) tests to represent histopathological features of acute eye inflammation. *Food Chem Toxic* 23:215-227.

Pasquale LC, Hayes AW. 2001. Chapter 18. Acute Toxicity and Eye Irritancy. In: *Principles and Methods of Toxicology* 4th Ed. (Hayes AW, ed.). Philadelphia:Taylor and Francis, 853-915.

Pfister R. 2005. Chemical Trauma. In: Smolin and Thoft's, *The Cornea: Scientific Foundations and Clinical Practice* (Foster CS, Azar DT, and Dohlman CH eds). New York:Lippincort Williams and Wilkins, 781-796.

Reinhardt C, Aeschbacher M, Bracher M, Spengler J. 1987. Validation of three cell toxicity tests and the hen's egg test with guinea pig eye and human skin irritation data. *Methods Toxic* 5:463-469.

Romanoff AL. 1960. *The avian embryo: Structural and functional development*. New York: The Macmillan Company.

Rosenbruch M. 1997. Zur Sensitivitat des Embryos im bebruteten Huhnerei. *ALTEX* 111-113.

Rougier A, Cottin M, Silva O, Roguet R, Catroux P, Toufic A, Dossou KG. 1992. In vitro methods: their relevance and complementarity in ocular safety assessment. *Lens Eye Tox Res* 9:229-245.

Russell WMS, Burch RL. 1992. The Principles of Humane Experimental Technique. 14th ed. South Mimms, Potters Bar, Herts, England:Universities Federation for Animal Welfare.

Schlage W, Bülles H, Kurkowsky B. 1999. Use of the HET-CAM test for the determination of the irritant potential of cigarette sidestream smoke. *Toxic In Vitro* 13:829-835.

Sinn-Harlon J. 1998a. ChicksScope. University of Illinois-Urbana-Champagne. Available: http://chicksScope.itg.uiuc.edu/explore/embryology/day04/4Focuson_1.html [accessed 20 January 2004].

Sinn-Harlon J. 1998b. ChicksScope. University of Illinois-Urbana-Champagne. Available: <http://chicksScope.itg.uiuc.edu/explore/embryology/day06/> [accessed 28 April 2004].

Smith TW. 2000. Care and Incubation of Hatching Eggs. Mississippi State University Extension Service. Available: <http://www.msstate.edu/dept/poultry/hatch.htm#cond> [accessed 28 April 2004].

Solti J, Freeman JJ. 1988. Effect of reducing the number of animals in acute toxicity/irritation tests on U.S. and European labeling requirements. *The Toxicologist* 8:263.

Spielmann H, Gerner I, Kalweit S, Moog R, Wirnsberger T, Krauser L, Kreiling R, Kreuzer H, Luepke NP, Miltenbrger HG, Müller N, Mürmann P, Paper W, Siegemund B, Spengler , Steiling W, Wiebel FJ. 1991. Interlaboratory assessment of alternatives to the Draize eye irritation test in Germany. *Toxic In Vitro* 5:539-542.

Spielmann H, Kalweit S, Liebsch M, Wirnsberger T, Gerner I, Bertram-Neiss E, Krauser K, Kreiling R, Miltenburger HG, Pape W, Steiling W. 1993. Validation study of alternatives to the Draize eye irritation test in Germany: cytotoxicity testing and HET-CAM test with 136 industrial chemicals. *Toxic In Vitro* 7:505-510.

Spielmann H. 1995. HET-CAM Test. In: *Methods in Molecular Biology Vol 43. In Vitro Toxicity Testing Protocols.* (O'Hare S, Atterwill C, eds). Totowa:Hunana Press, 199-204.
Spielmann H, Liebsch M, Kalweit S, Moldenhauer F, Wirnsberger T, Holzhütter H, Schneider B, Glaser S, Gerner I, Pape WJW, Kreiling R, Krauser K, Miltenburger HG, Steiling W, Luepke NP Müller N, Kreuzer H, Mürmann P, Spengler J, Bertram-Neis, E, Siegemund B, Wiebel F. 1996. Results of a validation study in Germany on two in vitro alternatives to the Draize eye irritation test, HET-CAM test and the 3T3 NRU cytotoxicity test. *ATLA* 24:741-858.

Spielmann H, Liebsch M, Moldenhauer F, Holzhütter H, Bagley D, Lipman J, Pape WJ, Miltenburger H, de Silva O, Hofer H, Steiling W. 1997. IRAG Working Group 2 CAM-based assays. *Food Chem Toxic* 35:39-66.

Spielmann H, Liebsch M. 2005. In vitro reproducibility and repeatability data for control chemicals tested in the HET-CAM test method. Unpublished data provided directly to NICEATM by H. Spielmann and M. Liebsch, ZEBET.

Springer J, Chambers W, Green S, Gupta K, Hill R, Hurley P, Lambert L, Lee C, Lee J, Liu P, Lowther D, Roberts C, Seabaugh V, Wilcox N. 1993. Number of animals for sequential testing. *Food Chem Toxicol* 31:105-109.

Steiling W, Bracher M, Courtellemont P, deSilva O. 1999. The HET-CAM, a useful in vitro assay for assessing the eye irritation properties of cosmetic formulations and ingredients. *Toxic In Vitro* 13:375-384.

Sterzel W, Bartnik F, Matthies W, Kästner W, Künstler W. 1990. Comparison of two in vitro and two in vivo methods for the measurement of irritancy. *Toxic In Vitro* 4:698-701.

Suker GF. 1913. Injury to cornea from oxalic acid. *Ophthalmol Rec*. 23:40-47.

Swanson DW. 1985. Assessment of the validity of animal techniques in eye irritation testing. *Food Chem Toxic* 23:169-173.

Talsma D, Leach C, Hatoum N, Gibbons R, Roger J-C, Garvin P. 1988. Reducing the number of rabbits in the Draize eye irritancy test: A statistical analysis of 155 studies conducted over 6 years. *Fundamental and Applied Toxicology* 10:146-153.

Thoft RA. 1979. Chemical and thermal injury. *Int Ophthalmol Clin Summer* 19:243-256.

Toxic Substances Control Act of 1976. 1976. Public Law 94-469.

Tufan AC, Satiroglu-Tufan NL. 2005. A chick embryo chorioallantoic membrane as a model system for the study of tumor angiogenesis, invasion, and development of anti-angiogenic agents. *Current Cancer Drug Targets*. 5:249-266.

UN. 2003. Globally Harmonised System of Classification and Labelling of Chemicals (GHS). New York & Geneva:United Nations Publications.

Unger WG. 1990. Review: Mediation of the Ocular Response to Injury. *J Ocular Pharmacol* 6(4):337-353.

Unger WG. 1992. Pharmacological and neural bases for eye irritation. *Ann NY Acad Sci* 641:176-186.

van Erp Y, Weterings P. 1990. Eye irritancy screening for classification of chemicals. *Toxic In Vitro* 4:267-269.

Vanparys P, Van Goethem F. 2005. In vitro reproducibility and repeatability data for control chemicals tested in the HET-CAM test method. Unpublished data provided directly to NICEATM by P. Vanparys and F. Van Goethem, Johnson & Johnson.

Vaughn D, Asbury T, Riordan-Eva P. 1999. General Ophthalmology. 15th ed. New York:McGraw-Hill.

Vinardell M, García L. 2000. The quantitative chloroallantoic membrane test using trypan blue stain to predict the eye irritancy of liquid scintillation cocktails. Toxic In Vitro 14:551-555.

Vinardell M, Macián M. 1994. Comparative study of the HET-CAM test and the Draize eye test for assessment of irritancy potential. Toxic In Vitro 8:467-470.

Vives M, Macián M, Seguer J, Infante M, Vinardell M. 1997. Irritancy potential induced by surfactants derived from lysine. Toxic In Vitro 11:779-783.

Wilhelmus K. 2001. The Draize eye test. Survey of Ophthalmology 45:493-515.

Wilkie DA, Wyman M. 1991. Comparative anatomy and physiology of the mammalian eye. In: Dermal and Ocular Toxicology, Fundamentals and Methods (Hobson DW, ed). Boca Raton:CRC Press, Inc, 433-491.

Williams SJ, Graepel GJ, Kennedy GL. 1982. Evaluation of ocular irritancy potential: Interlaboratory variability and effect of dosage volume. Toxicol Letters 2:235-241.

Wilson SE, Mohan RR, Mohan RR, Ambrósio, Jr. R, Hong JW, Lee JS. 2001. The corneal wound healing response: Cytokine-mediated interaction of the epithelium, stroma, and inflammatory cells. Prog Retin and Eye Res 20(5): 625-637.

Wilson T, Steck W. 2000. A modified HET-CAM assay approach to the assessment of anti-irritant properties of plant extracts. Food Chem Toxic 38:867-872.

Worth A, Cronin M. 2001. Prediction models for eye irritation potential based on endpoints of the HETCAM and neutral red uptake tests. In Vitro Mol Toxic 14:143-156.

York M, Lawrence RS, Gibson GB. 1982. An in vitro test for the assessment of eye irritancy in consumer products – preliminary findings. Int J of Cosm Sci 4:223-234.

[This Page Intentionally Left Blank]